

# Developing Heuristics for Evaluating the Accessibility of Digital Library Interfaces

Mexhid Ferati and Wondwossen M. Beyene

Oslo and Akershus University College of Applied Sciences, Oslo,  
Norway  
{mexhid.ferati, wondwossen.beyene}@hioa.no

**Abstract.** Digital libraries are important resources for the education of all, including people with disabilities. Designing their interfaces to include broader range of users has been a challenge, partly because to evaluate their accessibility, access to participants is a difficult part. Hence, to overcome such limitation, researchers often use heuristics to evaluate library interfaces. Generic heuristics are typically lengthy or too general, hence not suitable to uncover accessibility issues with library interfaces. In this paper, we address this issue by proposing heuristics specifically designed for the evaluation of digital library interfaces. The initial set of heuristics was derived from four different sources independently rated by two domain experts. In addition, four new items were proposed based on observations we conducted in another study on the accessibility of digital libraries. The final set of heuristics proposed is consisted of sixteen items tailored specifically to evaluate the accessibility of digital library interfaces.

**Keywords:** Web accessibility · Evaluation heuristics · Digital library accessibility

## 1 Introduction

Access to digital resources is important for all, including people with disabilities. Digital library interfaces are useful mechanisms to enable people find and consume digital resources, which is important for their education or for general knowledge. One way to ensure their accessibility is to build universally designed solutions that will be usable by all. A typical challenge while building such interfaces is access to real participants for evaluation purposes. To overcome this limitation, researchers make use of heuristics in order to measure the accessibility and usability of an interface without participants. Specific heuristics have been developed for various domains, including for digital library interfaces [1], [2], which help researchers evaluate the level of usability and how easy and successfully users would find desired resources using the web interface. These heuristics, however, seem to focus on the average user, excluding users with disabilities.

Designing for people with disabilities requires a level of empathy and consideration for their condition. Instead of treating them as ‘test’ subjects, researchers and designers

should develop relationship with participants in order to elicit and understand their needs. To this end, researchers have conceived the *user-sensitive inclusive design* concept, which suggests that designers should guide their design by developing empathy with the users [3]. Empathy is also to consider that users with disability have a difficulty to participate in studies, for which some studies suggest leveraging the Internet of Things to gather requirements from such people [4]. The formulation of heuristics would help to evaluate and plan digital library interfaces by reducing the need of “bothering” users to understand their requirements and get initial interface evaluation feedback.

Web accessibility heuristics have been developed and used to address web accessibility and diversity of users [5], [6], [7]. Though they are useful to evaluate the general accessibility of web solutions, they are not suitable for digital library interfaces. Library interfaces possess characteristics that are not encompassed by the general web accessibility heuristics. They could help to identify superficial elements of interface design, but would miss, for example, evaluating whether the interface has an accessible way to help people develop effective way of locating resources [8]. Digital libraries can be stand-alone or a federated collection of resources collected and organized in different silos, which increases the importance of designing accessible and effective interfaces.

In this paper, we address this gap by exploring characteristics of existing heuristics used for digital libraries and those for Web accessibility to devise new set of heuristics. The outcome will be a set of heuristics focused for the purposes of evaluating the accessibility of digital library interfaces. This will combine the best of both types of heuristics to build a comprehensive set of heuristics to achieve better results when evaluating the accessibility of digital library interfaces.

## **2 Related Work**

Developing new type of heuristics is usually done using two methods: empirical-based and research-based. The empirical-based approach is conducted by developing heuristics based on actual data collected and analyzed, while the research-based approach is conducted by evaluating existing heuristics developed for other similar domains. Using the empirical-based approach, Nielsen has developed the first set of heuristics [9]. He started by categorizing hundreds of problems devised from many usability testing studies and grouping those into ten rules of heuristics. Many other heuristics are developed taking the Nielsen heuristics as a basis and modifying as needed for the new domain, such as heuristics developed to evaluate gaming of education [10].

Typically, after the new heuristics are developed, they are empirically tested and compared whether they perform better than the original heuristics from which they were derived [11]. Similar approach was adopted by Tsui et al [12] to devise heuristics based on Nielsen for the evaluation of assistive robotics. They compared those and discovered that the new heuristics were three times more effective as they found 33 errors compared to 13 found using Nielsen’s heuristics.

Aiita et al [1] developed new library heuristics, which addressed the library perspective in better details than Nielsen's heuristics. Fifteen public library websites were evaluated using these heuristics. They were similar to those developed by Chisnell et al [5], which focused on developing interfaces for the elderly users. Moreover, Chisnell et al argued that most of the heuristics do not take into account people with different abilities. For example, Nielsen's heuristics assume that all users have perfect physical and cognitive abilities and are able to conduct the tasks on a given interface. The reality is that people with diverse disabilities, including those with dyslexia and visual impairment, use the Web and library interfaces [13], [14], [15], [16], [17], [18]. To ensure their usability and accessibility by such users, various adaptations are typically conducted, on a content and interface level [19], [20].

Considering this, Morrell et al [21] developed heuristics addressing the use of interfaces by adults who also have certain level of disability. However, this was not suitable for Chisnell et al [5], who were interested in evaluating the level of usability of websites used by the elderly, but not specifically developed for older adults. Hence, they developed a new set of heuristics to evaluate websites that the elderly use frequently. They evaluated fifty websites using these newly developed heuristics [5].

Driven by particular needs and using similar methods, several studies report developing specific heuristics. For instance, Drury [22] have derived heuristics based on theories and metaphors for the evaluation of collaborative system behavior interfaces, which were validated through an experiment. Bolchini et al [23] have proposed an initial set of heuristics to evaluate the semiotics of web interfaces, particularly concentrating on information-rich websites. The authors proposed these semiotics heuristics to be used in combination with other existing evaluation methods. Travis et al [24] had concerns about screen size, which inspired them to develop heuristics to evaluate digital library interfaces used specifically on mobile devices.

Considering all these studies, our aim is to develop heuristics for evaluating the accessibility level of digital library interfaces. We adopt a mixed approach, (1) research-based approach by analyzing existing heuristics used to evaluate the accessibility of web interfaces and those used to evaluate the usability of digital interfaces, and (2) empirical-based approach by analyzing the data collected and reported in detail on a prior study [39].

### **3 Comparison of Existing Web Accessibility and Digital Library Heuristics**

In order to develop heuristics for the purposes of evaluating the accessibility of digital library interfaces, we studied relevant existing heuristics used in two domains: Web accessibility and digital libraries.

#### **3.1 Web Accessibility Heuristics**

Considering that digital libraries are web-based interfaces, it is a viable approach to initially investigate the heuristics that are used to evaluate the accessibility of Web sites.

Most studies that conducted accessibility inspections on Web sites used Web Content Accessibility Guidelines (WCAG 2.0) [25], [26], [27]. Many other studies, however, consider WCAG to be very long and with too many criteria to check while conducting an evaluation [28]. Granting that WCAG contains as much as 65 guidelines, according to Moreno et al [29], those are still not fail-proof, because although pages might pass the WCAG test, they may remain to be inaccessible.

Taking these issues into consideration, a more concise accessibility heuristics have been developed in order to complement or replace WCAG guidelines. For instance, the IBM accessibility heuristics consists of twelve items, which are easy to keep in mind while evaluators inspect accessibility of web pages [30]. Moreover, as Mankof et al [31] recommended, website developers should be able to use brief accessibility evaluation techniques to get quick results and enable a development process that is more agile. We support such approach and in this paper, we rely mostly on existing concise heuristics.

Our state-of-the-art research on the existing Web accessibility heuristics revealed two sources, namely the IBM Web Accessibility Heuristics [6] and the guidelines developed by Zaphiris et al [32], which are most relevant to our goal. Hence, these will be used as a basis for the generation of new heuristics, which could help to evaluate the accessibility of digital library interfaces.

### 3.2 Digital Library Heuristics

In order to develop the new heuristics, we also investigated existing studies that used heuristics to evaluate the usability, but not the accessibility, of digital library interfaces. Most of those studies used existing Nielsen heuristics [33], [34], [35], [36]. There are some studies, however, that used modified version of Nielsen's heuristics [10], [11], [1]. However, according to Chisnell et al [5], most heuristics and guidelines are too broad or too general, which might require more expertise from the evaluators [1].

With this in mind, Aiiita et al [1] proposed a new heuristic item that actually takes into consideration the interface accessibility by stating: *the interface should consider special groups, such as children, the elderly and people with disabilities*. Though this indicates a new good trend, it represents a very general accessibility requirement and does not concretely help evaluators. The important note is that these proposed heuristics present a library viewpoint compared to Nielsen's heuristics, which are also similar to heuristics developed by Chisnell et al [5].

Other researchers, such as Laender et al [37] have claimed that the heuristics should not only evaluate interface level accessibility, but also provide a way to evaluate accessibility of the resources found and listed by the interface. For example, the interface should clearly indicate when a resource found is behind a paywall, to avoid clicking the link if users choose not to complete the transaction.

The review of existing studies that we conducted in the field of digital libraries revealed two important sources: Aiiita et al [1] and Joo and Yeon [38]. We will further investigate these in order to devise heuristics for the evaluation of digital libraries accessibility.


## 4 Proposing Novel Heuristics for Digital Library Interfaces

Our investigation into existing heuristics discovered four sources relevant to our goal, specifically:

- IBM Web accessibility heuristics [6] with 12 items;
- Guidelines when designing for the elderly by Zaphiris et al [32] with 37 items;
- Heuristics for library services by Aiiita et al [1] with 9 items; and
- Heuristics for measuring the usability of academic libraries by Joo and Yeon [38] with 14 items.

This total number of 72 items was independently rated by two domain experts in a scale from zero (not relevant) to three (very relevant). Only items that scored highest on average (with value three), were retained in the filtering process. This process generated an initial list of heuristics with 16 items. Because some items were repetitive or very similar, for example *provide text alternative for all non-text content* and *images should have alt tags*, the list remained with twelve items drawn from three sources as shown in the box labeled with ‘existing heuristics’ in Fig. 1.

To these twelve heuristics, we added four additional items based on a prior study we conducted with low vision and users with dyslexia [39]. The qualitative study highlights accessibility issues discovered when users were searching for resources on Oria<sup>1</sup>, which is a resource discovery tool used by Norwegian academic and research libraries. Ultimately, the list of heuristics proposed was of 16 items. Table 1 shows these heuristics along with a detailed description as well as the source from where they were generated.



**Fig. 1.** The process of devising digital library accessibility heuristics from two sources: existing heuristics and a prior study conducted on the accessibility of digital libraries.

---

<sup>1</sup> Oria.no

**Table 1.** List of proposed heuristics to evaluate the accessibility of digital library interfaces.

#	Heuristic	Description	Source
1	Provide text alternatives for all non-text content	For non-text content, such as images, provide alternative description so that it can be accessible through other forms people need, such as large print, Braille, speech, symbols or simpler language.	IBM Web Accessibility Heuristics [6]
2	Make it easier for users to see and hear content.	All content should be distinguishable. Do not use color to convey information. The visual presentation of text and images of text has a contrast ratio of at least 4.5:1. All textual content should be easily resizable using the browser. Ensure clear contrast between background and foreground colors.	
3	Make all functionality available from a keyboard.	All content and website functions should be accessible using exclusively a keyboard and do not impose the traditional use of a mouse.	
4	Provide ways to help users navigate, find content, and determine where they are.	Provide a mechanism, such as 'skip to main content' links to bypass a repeatable content found on each page, such as, the menu. Web pages need to have proper annotations, such as titles, headings and labels, to clearly indicate the type of content on the page.	
5	Icons should be simple and meaningful.	Icons are useful for certain users with mild cognitive disabilities such as dyslexia. They need to be used appropriately and in context, without being unnecessarily complex.	Designing for the Elderly Heuristics by Zaphiris [32]
6	Avoid irrelevant information on the screen.	Each bit of content on the page competes for user's attention; hence, only relevant information should be included. Moreover, certain group of people, can get overwhelmed by extensive content on the page.	
7	Information should be concentrated mainly in the center.	Crucial information should always take the prominent spot on the page, as there are users who disregard page margins because of a functional or cognitive disability.	
8	Page content and navigation should conform to standards and user expectations.	Screen layout, navigation and language used should be simple, clear and consistent.	
9	Provide appropriate white space.	There should be spacing between the lines and links. In addition, appropriate white space should be used between content and objects on the page.	

10	Search engines should cater for spelling errors.	Library search interfaces should be error tolerant and preferably provide spelling suggestions [15].	
11	Error messages should be simple and easy to follow.	In case of an error, the search interface should guide the user to recover in a simple fashion with step-by-step directions that are easy to follow.	
12	Provide meaningful and appropriate labelling of links.	Links should be clearly named and no link with the same name should go to a different page. The links should be self-descriptive and indicate clearly, where its engagement will take the user. Clearly distinguish normal texts from links, visited links from not visited links, and make it easy to conclude where a link leads. This could especially benefit screen-reader users.	Digital Library Heuristics by Aiiita [1]
13	Provide clear indication of the material type, e.g., pdf, audio, video, epub.	While presenting search results, the list should incorporate description of material type per title, for example, accessible pdf, audio, video, video with caption, etc.	Evidence from a prior study, Beyene [39]
14	The list of resources found should indicate the status of their availability.	Resources found sometimes are not immediately available and this should be clearly indicated before the user engages with the link. Reasons include: the resource has been checked out by a different user, it is behind a paywall, etc.	
15	The search interface should have the capability of providing spelling and autofill suggestions.	The search box should provide spelling and autofill suggestions of a personalized and global nature. The personalized suggestions could feed from user's profile interests and search history. The global suggestions could feed from the search history of all users of the interface as well as the entire list of available resources located on the database.	
16	Ensure proper labeling and organization of facets/filters	The facets should organize resources with proper taxonomy to uniquely identify and present resources. Some users of assistive technologies, such as screen-reader users, could face a problem because the tool generates a list of all filtering links without context, sometimes with similar labels, which confuses users.	

## 5 Conclusion and Future Works

Heuristics are useful for evaluating interfaces without participants. This requires that evaluators possess a great understanding about user needs, abilities and how users interact with the interfaces being evaluated. Considering this, heuristics should be detailed enough to help evaluators identify accessibility and usability issues with the interface. Hence, heuristics specific to various domains have been developed and proved more suitable and effective than generic heuristics.

Our extensive study of existing literature revealed no heuristics specifically tailored to evaluate the accessibility of digital library interfaces. This prompted us to propose an initial set of new heuristics derived from two main sources: existing heuristics and prior empirical research. Existing heuristics were derived from two domains: Web accessibility and digital library heuristics. Two domain experts independently examined elements of those heuristics and rated them for their relevance to evaluating digital library interfaces. Twelve heuristics were derived from these two domains. Additionally, four new heuristics were added based on an empirical observation we conducted on another study.

The sixteen new heuristics we devised in this study specifically aim to help evaluators uncover accessibility issues with digital library interfaces. It remains in future studies to evaluate these heuristics when testing library interfaces. Moreover, comparing these newly proposed heuristics with existing heuristics is a part of future work we intend to conduct.

## References

1. Aitta, M.R., Kaleva, S., Kortelainen, T.: Heuristic evaluation applied to library web services. *New Library World*, 109(1/2), 25-45 (2008)
2. Paterson, L., Low, B.: Usability inspection of digital libraries. *Ariadne*, (63) (2010)
3. Newell, A.F., Gregor, P., Morgan, M., Pullin, G., Macaulay, C.: User-sensitive inclusive design. *Universal Access in the Information Society*, 10(3), 235-243 (2011)
4. Ferati, M., Kurti, A., Vogel, B., Raufi, B.: Augmenting requirements gathering for people with special needs using IoT: a position paper. In *Cooperative and Human Aspects of Software Engineering (CHASE)*, 2016 IEEE/ACM (pp. 48-51). IEEE (2016)
5. Chisnell, D.E., Redish, J.C.G., Lee, A.M.Y.: New heuristics for understanding older adults as web users. *Technical Communication*, 53(1), 39-59 (2006)
6. IBM Web Accessibility Heuristics, [http://www-03.ibm.com/able/guidelines/web/web\\_52.html](http://www-03.ibm.com/able/guidelines/web/web_52.html), Retrieved on December 25, 2016.
7. Ferati, M., Mripa, N., Bunjaku, R.: Accessibility of MOOCs for Blind People in Developing Non-English Speaking Countries. In *Advances in Design for Inclusion* (pp. 519-528). Springer International Publishing (2016)
8. Berget, G., Sandnes, F.E.: Searching databases without query-building aids: implications for dyslexic users. *Information research*, 20(4) (2015)
9. Nielsen, J.: "10 usability heuristics for user interface design." Nielsen Norman Group 1.1 (1995)

10. Desurvire, H., Wiberg, C.: Master of the game: assessing approachability in future game design. In CHI'08 extended abstracts on Human Factors in Computing Systems (pp. 3177-3182). ACM (2008)
11. Ling, C., Salvendy, G.: Extension of heuristic evaluation method: a review and reappraisal. *Ergonomia IJE & HF*, 27(3), 179-197 (2005)
12. Tsui, K.M., Abu-Zahra, K., Casipe, R., M'Sadoques, J., Drury, J. L.: Developing heuristics for assistive robotics. In Human-Robot Interaction (HRI), 2010 5th ACM/IEEE International Conference on (pp. 193-194). IEEE (2010)
13. Ferati, M., Vogel, B., Kurti, A., Raufi, B., Astals, D. S.: Web Accessibility for Visually Impaired People: Requirements and Design Issues. In International Workshop on Usability- and Accessibility-Focused Requirements Engineering (pp. 79-96). Springer International Publishing (2016)
14. Berget, G., Mulvey, F., Sandnes, F.E.: Is visual content in textual search interfaces beneficial to dyslexic users? *International Journal of Human-Computer Studies*, 92, 17-29 (2016)
15. Berget, G., Sandnes, F.E.: Do autocomplete functions reduce the impact of dyslexia on information-searching behavior? The case of Google. *Journal of the Association for Information Science and Technology* (2015)
16. Habib, L., Berget, G., Sandnes, F.E., Sanderson, N., Kahn, P., Fagernes, S., Olcay, A.: Dyslexic students in higher education and virtual learning environments: an exploratory study. *Journal of Computer Assisted Learning*, 28(6), 574-584 (2012)
17. Berget, G., Herstad, J., Sandnes, F.E.: Search, Read and Write: An Inquiry into Web Accessibility for People With Dyslexia. In: Universal Design 2016: Learning from the Past, Designing for the Future: Proceedings of the 3rd International Conference on Universal Design (2016)
18. Sandnes, F.E.: Designing GUIs for low vision by simulating reduced visual acuity: reduced resolution versus shrinking. *Studies in health technology and informatics*, 217, 274 (2015)
19. Eika, E., Sandnes, F.E.: Authoring WCAG2. 0-compliant texts for the web through text readability visualization. In International Conference on Universal Access in Human-Computer Interaction (pp. 49-58). Springer International Publishing (2016)
20. Eika, E., Sandnes, F.E.: Assessing the Reading Level of Web Texts for WCAG2. 0 Compliance—Can It Be Done Automatically?. In *Advances in Design for Inclusion* (pp. 361-371). Springer International Publishing (2016)
21. Morrell, R.W., Dailey, S.R., Feldman, C., Mayhorn, C.B., Echt, K.V., Holt, B.J., Podany, K.I.: Older adults and information technology: A compendium of scientific research and web site accessibility guidelines. National Institute on Aging, Bethesda, MD (2004)
22. Drury, J.: Developing heuristics for synchronous collaborative systems. In CHI'01 Extended Abstracts on Human Factors in Computing Systems (pp. 447-448). ACM (2001)
23. Bolchini, D., Chatterji, R., Speroni, M.: Developing heuristics for the semiotics inspection of websites. In Proceedings of the 27th ACM international conference on Design of communication (pp. 67-72). ACM (2009)
24. Travis, T., Tay, A.: (2011). Designing low-cost mobile websites for libraries. *Bulletin of the American Society for Information Science and Technology*, 38(1), 24-29 (2011)
25. Velleman, E., Strobbe, C., Koch, J., Velasco, C.A., Snaprud, M.: A unified web evaluation methodology using WCAG. In International Conference on Universal Access in Human-Computer Interaction (pp. 177-184). Springer Berlin Heidelberg (2007)
26. Olalere, A., Lazar, J.: Accessibility of US federal government home pages: Section 508 compliance and site accessibility statements. *Government Information Quarterly*, 28(3), 303-309 (2011)

27. Paddison, C., Englefield, P.: Applying heuristics to perform a rigorous accessibility inspection in a commercial context. In *ACM SIGCAPH Computers and the Physically Handicapped* (No. 73-74, pp. 126-133). ACM (2003)
28. Scapin, D., Leulier, C., Vanderdonckt, J., Mariage, C., Bastien, C., Farenc, C., Palanque, P., Bastide, R.: A framework for organizing web usability guidelines. In *6th Conf. on Human Factors and the Web HFWeb'2000* (2000)
29. Moreno, L., Martínez, P., Ruiz-Mezcua, B.A: bridge to web accessibility from the usability heuristics. In *Symposium of the Austrian HCI and Usability Engineering Group* (pp. 290-300). Springer Berlin Heidelberg (2009)
30. Paddison, C., Englefield, P.: Applying heuristics to accessibility inspections. *Interacting with Computers*, 16(3), 507-521 (2004)
31. Mankoff, J., Fait, H., Tran, T.: Is your web page accessible?: a comparative study of methods for assessing web page accessibility for the blind. In *Proceedings of the SIGCHI conference on Human factors in computing systems* (pp. 41-50). ACM (2005)
32. Zaphiris, P., Kurniawan, S., Ghiawadwala, M.: A systematic approach to the development of research-based web design guidelines for older people. *Universal Access in the information Society*, 6(1), 59 (2007)
33. Manzari, L., Trinidad-Christensen, J.: User-centered design of a web site for library and information science students: Heuristic evaluation and usability testing. *Information technology and libraries*, 25(3), 163 (2006)
34. Blandford, A., Keith, S., Connell, I., Edwards, H.: Analytical usability evaluation for digital libraries: a case study. In *Digital Libraries, 2004. Proceedings of the 2004 Joint ACM/IEEE Conference on* (pp. 27-36). IEEE (2004)
35. Jeng, J.: What is usability in the context of the digital library and how can it be measured?. *Information technology and libraries*, 24(2) (2005)
36. Van House, N.A., Butler, M.H., Ogle, V., Schiff, L.: User-centered iterative design for digital libraries. *D-lib Magazine*, 2(3) (1996)
37. Laender, A.H., Gonçalves, M.A., Cota, R.G., Ferreira, A.A., Santos, R.L., Silva, A.J.: Keeping a digital library clean: new solutions to old problems. In *Proceedings of the eighth ACM symposium on Document engineering* (pp. 257-262). ACM (2008)
38. Joo, S., Yeon Lee, J.: Measuring the usability of academic digital libraries: Instrument development and validation. *The Electronic Library*, 29(4), 523-537 (2011)
39. Beyene, W.M.: Resource Discovery and Universal Access: Understanding Enablers and Barriers from the User Perspective. *Studies in health technology and informatics*, 229, 556 (2016)